C. AMENDMENTS TO THE CLAIMS

In order to better assist the Examiner with the prosecution of the case, the current pending claims have been included in their entirety for which reconsideration is requested.

1. (AMENDED) A method for displaying, at a client, transient messages received over a network, the method comprising:

storing in a chronological list, independently of a user action, each one of at least one multimedia object containing at least one transient message when each multimedia object is initially rendered at the client; and

enabling a subsequent rendering of at least one of the stored multimedia objects containing at least one stored transient message in succession in response to a user selection of a control button associated with the list of the stored multimedia objects.

- 2. (ORIGINAL) The method of claim 1 wherein the at least one multimedia object is at least one of an animated GIF multimedia object, a moving picture type multimedia object, a vector graphic multimedia object, and a static image multimedia object.
- 3.(ORIGINAL) The method of claim 1 wherein the step of storing further comprises storing at least one of the multimedia objects at the client.
- 4.(ORIGINAL) The method of claim 1 wherein the step of storing further comprises storing at least one of the



1

PATENT 09/843,059

multimedia objects at a server which is in communication over the network with the client.

- 5. (CANCELED)
- 6. (CANCELED)
- 7. (ORIGINAL) The method of claim 1 wherein the storing step occurs for a configurable duration of time.
- 8.(AMENDED) The method of claim 1 wherein the step of storing further comprises storing at a server, which is communicatively connected over the network with the client, each of the multimedia objects in a queue the chronological list as each multimedia object is initially rendered at the client.
- 9. (AMENDED) The method of claim 8 further comprising sending a given multimedia object from the chronological list queue and a corresponding software unit to enable the multimedia object to be played in response to a selection of a replay button sent from the server to be displayed at the client in conjunction with the multimedia object in an area of a document allocated to the multimedia object.
- 10. (AMENDED) A computer program product having computer readable program code means on a computer usable medium having instruction means for enabling a display, at a client, of transient messages received over a network, comprising:



instruction for storing in a chronological list, independently of a user action, each one of at least one multimedia object containing at least one transient message when each multimedia object is initially rendered at the client; and

instructions for enabling a subsequent rendering of atleast one of the stored multimedia objects containing atleast one stored transient message in succession in response
to a user selection of a control button associated with the
list of the stored multimedia objects.

- 11. (CANCELED)
- 12. (CANCELED)
- 13. (AMENDED) The program product of claim 10 wherein the instruction for storing further comprises instructions for storing at a server, which is communicatively connected over the network with the client, each of the multimedia objects in a queue the chronological list as each multimedia object is initially rendered at the client.
- 14. (AMENDED) The program product of claim 10 further comprising instructions for sending a given multimedia object from the chronological list queue and a corresponding software unit to enable the multimedia object to be played in response to a selection of a replay button sent from the server to be displayed at the client in conjunction with the multimedia object in an area of a document allocated to the multimedia object.



15. (AMENDED) A computer system having means for displaying, at a client, transient messages received over a network, the system comprising:

means for storing in a chronological list, independently of a user action, each one of at least one multimedia object containing at least one transient message when each multimedia object is initially rendered at the client; and

means for enabling a subsequent rendering of at least one of the stored multimedia objects containing at least one stored transient message in succession in response to a user selection of a control button associated with the list of the stored multimedia objects.

- 16. (ORIGINAL) The computer system of claim 15 wherein the at least one multimedia object is at least one of an animated GIF multimedia object, a moving picture type multimedia object, a vector graphic multimedia object, and a static image multimedia object.
 - 17. (CANCELED)
 - 18. (CANCELED)
- 19. (AMENDED) The computer system of claim 15 wherein the means for storing further comprises means for storing at a server, which is communicatively connected over the network with the client, each of the multimedia objects in aqueue the chronological list as each multimedia object is initially rendered at the client.

20. (AMENDED) The computer system of claim 19 further comprising means for sending a given multimedia object from the chronological list queue and a corresponding software unit to enable the multimedia object to be played in response to a selection of a replay button sent from the server to be displayed at the client in conjunction with the multimedia object in an area of a document allocated to the multimedia object.



21. (AMENDED) A method for redisplaying, at a client, at least one transient message displayed in a browser, the method comprising:

identifying a region associated with the at least one transient message;

clipping the region associated with the at least one transient message;

storing in a chronological <u>list</u>, independently of a user action, each transient message when each transient message is initially rendered by the browser; and

enabling a subsequent rendering of at least one of the transient messages in succession in response to a user selection of a control button associated with the list of the stored transient messages.

22. (ORIGINAL) The method of claim 21 further comprising associating a separate identifier for each stored transient message; and enabling a use of the identifier for the user selection.

23. (AMENDED) A computer system having means for redisplaying at least one transient message displayed in a browser, the system comprising:

means for identifying a region associated with the at least one transient message;

means for clipping the region associated with the at least one transient message;

means for storing in a chronological list, independently of a user action, each transient message when each transient message is initially rendered by the browser; and

means for enabling a subsequent rendering of at least one of the transient messages in succession in response to a user selection of a control button associated with the list of the stored transient messages.

24. (AMENDED) A computer program product having computer readable program code means on a computer usable medium having instruction means for enabling a redisplaying of at least one transient message displayed in a browser, the computer program comprising:

instruction means for enabling an identification of a region associated with the at least one transient message;

instruction means for enabling a clipping of the region associated with the at least one transient message;

instruction means for storing in a chronological list, independently of a user action, each transient message when each transient message is initially rendered by the browser; and

instruction means for enabling a subsequent rendering of at least one of the transient messages in succession in



13

response to a user selection of a control button associated with the list of the stored transient messages.